

In the Specification

Please amend the specification as follows. At page 1, line 1, delete "FIELD OF THE INVENTION" and insert "--BACKGROUND OF THE INVENTION--". At page 1 line 4, delete the heading "BACKGROUND OF THE INVENTION" and insert "--FIELD OF THE INVENTION--".

Please amend the paragraph beginning at line 5 of page 1 as follows.

Within the meaning of the invention, [such] an article for nursery care is provided having ~~in particular with~~ a tip for suction ~~, intended to penetrate that is adapted to be inserted in~~ an infant's mouth. By way of non-limiting example, the invention is directed to ~~it is question of~~ a feeding bottle[,] or a comforter.

One page 1, amend the paragraph beginning on line 16 as follows.

In the case of a comforter, the ~~latter conventionally comprises a body, also called~~ in a form of a shield, on which the afore-mentioned tip element for suction is mounted.

On page 2, please amend the Section entitled Brief Description of the Drawings as follows.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be more readily understood on reading the following description given solely by way of non-limiting example, with reference to the accompanying drawings, in which:

Figure 1 is a view in longitudinal section, illustrating a feeding bottle according to the invention[.];

Figure 2 is a view in longitudinal section, similar to Figure 1, illustrating a variant embodiment of the bottle of Figure 1[.];

Figure 3 is a view in longitudinal section, illustrating a teat belonging to a feeding bottle in accordance with another variant embodiment of the invention; and

Figure 4 is a front view, illustrating a comforter for an infant according to the invention.

Please amend the paragraph beginning at line 22 of page 4 as follows.

Figure 3 illustrates a teat 120 which comprises a flange 124, extended by a skirt [116] 126, which terminates in a tip 122. This teat may be connected conventionally on a bottle body

(not shown), by means of a screw ring, likewise not shown.

Please amend the paragraph beginning at line 1 of page 5 as follows.

This teat, which is for example made by a bi-injection operation, ~~presents~~ has two different hardnesses. For example the tip 122 ~~presents~~ has a hardness lower than that of the skirt [116] 126, and therefore than that of the flange 124.

Please amend the paragraph beginning at line 4 of page 5 as follows.

More precisely, the tip 12, which is particularly made of a first type of silicone, ~~presents~~ has a hardness included for example between 20 and 50 Shore A. Furthermore, the skirt [116] 126, which is particularly made of another type of silicone, ~~presents~~ has a hardness higher for example than 50 Shore A.

Please amend the paragraph beginning at line 8 of page 5 as follows.

In use, the infant's lips abut on the skirt [116] 126, which is relatively firm. Furthermore, the infant effects a suction of

the tip, which is more supple and consequently more malleable than [said] the skirt.